(*d*) Drillers from Rs. 1— 8—0 to 1—14—0.
Hammer man „ 1— 8—0 to 1—14—0.
Male coolies „ 0—12—0 to 1— 6—0.
Female „ „ 0— 9—0 to 0—11—6.
Boys „ „ 0— 6—0 to 0— 9—0.
(*e*) Drillers „ 1— 7—0 to 1—12—0.
Hammer man „ 1— 8—0 to 1—12—0.
Male coolies „ 0—12—0 to 1— 4—0.
Female „ „ 0— 9—0 to 0—11—6.
Boys „ „ 0— 6—0 to 0— 9—0.

(*f*) Yes. From 1st Kanni 1121 a reduction of 1 to 2 annas has been made in the wages of some of the workers. Due to the better condition of labour consequent on the release of labourers from Harbour etc., it was found possible to reduce the wages of labourers.

(*g*) To Manasseri and Andikadavu at Rs. 2—0—0 per ton load.
To Chakarachal sluice at Chellanam at Rs. 2—8—0 do.

(*h*) Granite stones are not being transported in 1121 to the places mentioned above. A rate of Rs. 2—8—0 per ton load was paid from 11th Chingam 1121 to 30th Chingam 1121 for transportation of rubble to (Chellanam Ganapathikad). This rate has been reduced to Rs. 2 from 1st Kanni 1121 as several boat-men thrown out from Kakanad quarries offered to do the work at the above rates.

(*i*) The average No. of workmen engaged in 1120 is 130 per day.

(*j*) 64.

(*k*) Workmen 250 per day; Boatmen 91 per day.

ALWAYE WATER TO MATTANCHERI

190. Dr. S. S. Rao *(Nominated):* Will Government be pleased to state.—
what further steps have been taken to augment the supply of Alwaye Water to Mattancheri?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):*
In order to augment the supply of water to Mattancheri etc., places, the work of duplication of the 12″ pipe line has been taken up and the work is progressing.

EDACOCHY FERRY JETTY

191. Dr. S. S. Rao *(Nominated):* Will Government be pleased to state.—
(*a*) whether the proposed reconstruction of the Edacochin Ferry Jetty has been started;
(*b*) if not, why?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):*
(*a*) An estimate for reconstructing the Jetty has been sanctioned.
(*b*) The work will be commenced soon.

WORK SUPERINTENDENTS—SCALE OF PAY

192. Mr. Paramel Ipe Ipe *(Kunnamkulam):* Will Government be pleased to state.—
(*a*) whether Work Superintendents' scale of pay has been revised;
(*b*) what is their scale of pay before and after revision;
(*c*) what is the scale of pay of school final hands appointed as clerks;
(*d*) are not the Work Superintendents, school final hands with technical qualifications?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):*
(*a*) Yes.
(*b*) Before the revision there were 2 posts on Rs. 40-4-60 and 19 posts on Rs. 25-3-40 and after the revision there are 7 posts on Rs. 40-2-60 and 14 posts on Rs. 25-1-40.
(*c*) School finals when appointed as clerks are ordinarily eligible for the grades on Rs. 15-1-20, 20-1-25- 25-3-40 and 40-4-60.
(*d*) School final qualification is not obligatory under Standing Orders.

HIGH SCHOOL—VADAKKANCHERI—DUST NUISANCE

193. Mr. K. Balakrishna Menon *(Cherathuruthi):* Will Government be pleased to state—
(*a*) if they are aware of the dust nuisance to children of the Boys' High School, Vadakkancheri from the public road;
(*b*) the reasons for the same and the remedy if any that is adopted?

LIBRARY ARCHIVES Kerala Legislative Assembly

Mr. V. K. Aravindaksha Menon *(Chief Engineer)*:

(*a*) and (*b*) As the road is not rendered dust proof and as the school is close to the road there will be some nuisance due to dust. The only remedy is to provide the road with a dust proof surface.

CRACK IN THE WALL—VADAKKANCHERI HIGH SCHOOL

194. Mr. K. Balakrishna Menon *(Cheruthuruthi)*: Will Government be pleased to state—

(*a*) if they are aware of a crack in the western wall of the northern block of Boys' High School Building, Vadakkancheri;

(*b*) if so, what action have the Government taken in the matter?

Mr. V. K. Aravindaksha Menon *(Chief Engineer)*:

(*a*) There are slight cracks in the wall. They are mostly plaster cracks and not at all dangerous.

(*b*) The matter of repairing those cracks is engaging the attention of the Government.

POLICE LINE—NEMMARA

195. Mr. K. Natarajan Chettiar *(Nemmara)*: Will Government be pleased to state.—

(*a*) how many years have elapsed since the site for constructing a Police line at Nemmara was acquired;

(*b*) why was the Police line not constructed till now;

(*c*) do the Government propose to construct the line this year?

Mr. V. K. Aravindaksha Menon *(Chief Engineer)*:

(*a*) The site was acquired in 1105.

(*b*) The work was not taken up on account of heavy cost involved and being not so very urgent compared with the necessity for Police lines in other places.

(*c*) There is no provision in this year's Budget.

CERTAIN LANDS IN PALLIPURAM VILLAGE—COST FOR CONVERTING INTO PADDY LANDS

ഫൻസു. മിസ്റ്റർ കെ. എ. രാഘവൻ:

(എ) കണയന്നൂർ താലൂക്കു പള്ളിപ്പുറം വില്ലേജിൽപെട്ട ൨൬, ൨ ൭-ാംനമ്പ്ു പുഴയിൽ ഈകഴിഞ്ഞ വർഷക്കാലത്തു് ഒരു ചിറ പുതുതായി ഇട്ടന്നതിന്നും, ഒരു ചിറ നന്നാക്കിയതിന്നുംകൂടി എത്ര ചിലവായിട്ടുണ്ടു്;

(ബി) ഇത്ര ഭീമമായ ഒരു സംഖ്യ ചിലവുചെയ്തു ഈ പണി നടത്തുവാനുണ്ടായ അടിയന്തിരാവശ്യമെന്താണു്;

(സി) നെൽകൃഷി ഉപയോഗത്തിന്നാണെങ്കിൽ ചുരുങ്ങിയതു ഒരു പത്തു കൊല്ലത്തിനപ്പുറം കൃഷി ചെയ്യുവാൻ തക്കവണ്ണം ഉപയുക്തമാകുന്നതാണോ;

(ഡി) ആ ഉദ്ദേശത്തിന്നല്ലെങ്കിൽ ഈ ചിറക്കകത്തുള്ള സ്ഥലം മത്സ്യം വളർത്തുവാനുള്ള Fish Pond ആയി ഉപയോഗിക്കുന്നതിന്നു വിരോധമുണ്ടോ;

(ഇ) ഈ സ്ഥലത്തിനകം അധികഭാഗവും ആഴം കൂടിയതാണെന്നു് ഗവൺമെൻറിനു് അറിയാമൊ;

(എഫ്) ഇതു് Fish Pond ആയി ഉപയോഗിച്ചാൽ ഞാറ്റുലുള്ള Fish Pond-നെക്കാളും കൂടുതൽ മത്സ്യത്തെ ഇതിനകത്തു് വളർത്തി ഗവൺമെൻറിനു സാരമായ ഒരു വരുമാനം ഉണ്ടാകുമെന്നുള്ള വസ്തുത ധരിച്ചിട്ടുണ്ടോ?

മിസ്റ്റർ വി. കെ. അരവിന്ദാക്ഷമേനോൻ:

(എ) പള്ളിപ്പുറം പുഴയിൽ ഉദ്ദേശം ൩൬ ൦ ഏക്കു് സ്ഥലം നെൽകൃഷി ചെയ്യത്തക്കവണ്ണം ആക്കുന്നതിന്നുവേണ്ട പണികൾ ചെയ്യുന്നതിന്നു ഫൻ; ൦ ൦ ൦ക.യുടെ ഒരു എസ്റ്റിമേറു ഗവർൺമെണ്ടിൽനിന്നും അനുവദിച്ചു വേണ്ട പണികൾ ചെയ്തുവരുന്നുണ്ടു്.

(ബി) എസ്റ്റിമേറുപ്രകാരമുള്ള പണികൾ ചെയ്തുകഴിഞ്ഞാൽ ഈ ൩൬ ൦ ഏക്കു് സ്ഥലം പതിച്ചുകൊടുക്കാമെന്നുള്ളതും അതിൽനിന്നുകിട്ടുന്ന പ്രതിഫലത്തിന്നുംപുറമെ, കൊല്ലം തോറും ഉണ്ടാകുന്ന ൩ ൦, ൦ ൦ ൦ പറ നെല്ലും കിട്ടുന്നതാണു്. നെൽകൃഷി തുടങ്ങുന്നതിന്നു് സ്ഥലം നികത്തി എടുക്കേണ്ടതായിവരും.

(സി) നിലംനികത്തിയാൽ കൃഷിചെയ്യാവുന്നതാണു്.

(ഡി) വേറെചില ഭൂമികളുടെ കൃഷിരക്ഷക്കു വെള്ളം ഒഴിച്ചുകളയുന്നതിന്നു പുതിയ ചിറയിലെ തൂമുകൾ ഉപയോഗിക്കുന്നതുകൊണ്ടു ഈ പറഞ്ഞ ആവശ്യം സാധിക്കുമൊ എന്നതു സംശയമാണു്.

LIBRARY ARCHIVES Kerala Legislative Assembly